Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




"Landscaping which Lasts"

NEW AUGUSTA, IND.

SURPLUS LIST

SPRING 1950

			grand in Cal		
LINING-OUT GRADES. Prices 1	isted are	per eac	h in lots of 25 or more at 10	0 rate (C)	
250 or more at 1,000 rate (1	ī) ·				
	C	11		C	M
BUXUS			TAXUS		
Carr Hårdy		•	Canadensis Stricta		
l yr, pots	.20	,18	8-10"xx	<u>.</u> 28	
2 yr, pots	124	.22	Cuspidata (Spreading)		
8-10"xx	.30		l yr. pots	,20	.18
JUNIPERUS			2 yr. pots	. 25	.23
Chinensis Pfitzeriana		,	6-8"x	.27	,24
1 gr. pots	.22	.20	8-10"xx	.LO	·37
2 yr. pots	.25	.22	10-12"xx	:50	•45
3-10"x	.28	.25	12-15"xxx	.60	
Communis (Vase)			Cuspidata Brevifolia		
	.17	.15	8.·.3.0"za:	•35	,30
l yr. pots Horizontalis Plumo sa (An o			Cuspidata Capitata		
	.17	.15	2 7. pots	.25	.23
1 yr. pots	.23	e ± 7	6-8 x	.27	
2 yr. pots	• ~)		8-10'zoc	.45	.40
Virginiana Canaerti	.28		Cuspidata Densifolia		•
8~10"xx	, 20		2 yr, pots	.25	. 23
Virginiana Glauca	0.5	22	6-8"x	.27	•
6-8"45	.25	.23	8-10"xx	.35	
Virginiana Kettleri	24	25	Cuspidata Dutuileri	• 22	•
8-]0'xx	.28	.25	1	:20	;18
Virginiana Pyramidiforma	(Dundee)	0.5	l yr. pots	.25	.23
2-10"xx	.28	.25	2 yr. pots	.27	.21
TAXUS			6-8"x	35	• ~
Baccata Aurea			8-10"xx	\$ J J	
10–12" xx	.40		Cuspidata Intermedia	.20	8.0
Baccata Erecta			l yr. pots	.25	.23
6 - 8"x	,25		2 yr pots	.27	214
8-20 ⁴ xx	¥35		6-8"x		232
10-12 xx	•40		8-10"xx	.35	076
Baccata Procumbens			10-12"xx	.40	
2 yr. pots	•24		12-15"xxx	,60	
Baccata Repandens	•	•	Cuspidata Kallay Improved	2 =	00
1 yr. pots	.20	:18	2 yr. pots	.25	.23
2 yr. pots	. 24	.22	6-8"x	.27	,21,
6–8"x	.26		8-10"xx	.40	.37
10–12"xx	.45		10-12"xx	.50	45
20 20 206			12 - 15"xxx	•60	
NURSERY AT 82ND S	T. AND	LAFAYE	TTE RD., INDIANAPOLIS,	INDIANA	



LIMI	NG-OUT	GRADES Con	tid Page 2.		
	C.	M.		C.	M_{\bullet}
TAXUS			TAXUS	•	Q1
Cuspidata Nana			Media Hatfieldi		•
1 yr. pots	:20	:18	1 yr. pots	,20	.18
2 yr. pots 6-8"x	,23	,21	2 yr. pots.	.24	.22
8-10"xx	.25	•24	6-8"x	.25	:23
10–12"xx	.35		8-10"x	:28	23
12-15"xxx	45		10-12"xx	.40	.37
Cuspidata Nana Grandiflo	,55°		Media Hicksi	•	·
6-8"x	•30		1 yr. pots	.19	.17
Cuspidata Nigra	• 50		2 yr. pots	23	.21
1 yr, pots	20	.18	6-8"x	.28	.25
2 yr. pots	25	.23	10-12"xx Media Hunnewelleana	•34	.31
6-8"x	27	• 2)		. 00	
8-10"xx	.40		l yr. pots 2 yr. pots	.20	* 60
Cuspidata Ovata		•	6-8"x	.24	:22
2 yr. pots	:20	.18	8-10"xx	25	23
6-8"x	.25	,	10-12"xx	•40 •45	:37
8-10"xx	.30		Media Jeffreyi Pyramidal	•47	,40
10-12"xx	•35		8-10"xx	.35	
Cuspidata Pyramidalis Hil	.li	•	Media Kelseyi	• 22	
1 yr. pots	20	,18	2 yr. pots	,,25	
2 yr, pots	24	, 22	6-8"x	. 30	
6-8!5	26	.24	Media Moon's Columnar		
8-10"xx	.40		6 − 3" x	•30	
Cuspidata Tardiva		·	Media Newport	•	
1 yr pots	a 20	118	6-8" x	.30	
2 yr pots	-21+	.22	Media Stricta	•	
6-8"x 8-10"xx	:30		6-8"x	.30	
	.40		Media Thayerae	•	
Cuspidata Vermeulen			l yr. pots	≩20	.18
8-10"xx	:35		6-8"x	128	
10-12"xx	,50	.45	12-15"xxx	.45	
Media	.00	3.4	Media Wardi	*	
l yr. pots	;20	.18	1 yr. pots	.20	
2 yr. pots 6-8"x	:22	.21	Media Wellesleyana		
8–10"xx	.25 .32	;22 ;30	2 yr. pots 6-8"x	24	, 22
10-12"xx	.35	,32	6-10"xx	28	
12-15"xxx	•55	472	10-12"xx	30	
Media Andersoni	• //	•	THUJA	.35	
1 yr; pots	.20	:18	Occidentalis Elegantissima		
2 yr. pots	.24	,22	1 yr. pots	.16	.14
6-8" x	.30	•	Occidentalis Globosa		9
10 - 12"xx	.45		l yr. pots	116	.14
Media Browni	•		2 yr. pots	,20	g
6 –8" ×	.30		Occidentalis Warreana	:	
8-10"xx	u35		1 yr. pots	.18	
Media Cedar Hill	•				
10-12"xx	.40				
Media Cliftoni		49			
l yr. pots	•20	.18	HEDERA Helix Baltica		
Media Halloreana			l yr. pots	.15	-24
8-10" x	.35		HYDRANGEA Otaksa Blue China		,
10-12"xx	.40		l yr. pots	,15	.14





SHRUBS,

Landscaping which Lasts"

FINISHED GRADES - all prices B&B, FOB New Augusta, Ind., per each in lots of 1 through 4 at E, rate; 5 through 25 at thr X rate. Special rates in car lots or full semi-trailer


Spreading types, Globes and Columns Hicks.	Spreading	times	TAXUS SPEC				
15-18"	opi cading	oypes,	atopas and				
18-24"	15-18"						
2-2\frac{1}{2\frac{1}{2}1							
2 3 3 3 4 1 1 1 5 5 5 5 5 5 5							
3-3½	2}_31						
11,50	3_3.4						
Lange Lang	3 - 1				0.70		
Temperatus Tem							
JUNIFERUS	4 ~42	E	X	10,27		E	х
Communic Suecica	JUNTPERUS			JUNTPERUS		-	
3-4.† 4.75 4.25 2-2½! 2,50 2.25 4-5! 6.00 5.50 2½-3! 3.50 0.55 5-6! 7:50 7:00 3-4! 5.00 ½-5! 5.00 ½-5! 6-7! 10,00 9.50 Sabina von Ehron Chinensis Japonica Vase Shape 2.3! 5.00 4.50 3-4! 4.50 ½-2; 3-4! 6.00 5.50 4-5! 5.00 ½-75 Chinensis Japonica Nana 2-2!! 5.00 4.50 2½-3! 4.50 4.50 Chinensis Japonica Procumbens 18-2½" 7.50 6.75 3-4! 5.00 4.50 Chinensis Japonica Procumbens 18-2½" 3.50 3.25 3-4! 6.00 5.50 Virginiana Burki Burk's Silver 2-2½! 3.50 3.25 3-4! 6.00 5.50 7-8! 11.00 10.50 Chinensis Pfitzeriana 3-6! 9.00 8.50 12-14! 17.50 16.00 4-5! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 2½-3: 3.75 3.50 6-7! 10.00 9.50 3-4! 7.50 12-14! 7.50 16.00 4-5! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Nana 15-18" 3.75 3.50 6-7! 7.50 7.00 13-2½" 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 15-2½" 5.00 4.75 5-6! 5.00 4.75 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 15-2½" 5.00 4.75 4.50 7-8! 5.00 4.75 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 15-2½" 5.00 4.75 5-6! 5.50 3.0 2½-3: 3.0 3.4! 5.00 5.75 3-4! 7.50 7.00 6.50 Virginiana Chanaerti 2½-3! 5.00 4.75 5-6! 5.50 3.0 2½-3: 5.00 4.75 3-4! 7.50 7.50 7.00 1-2½! 5.00 4.75 5-6! 5.50 3.0 2½-3: 5.00 4.75 3-4! 5.00 5.75 5-6! 5.50 3.0 2½-3: 5.00 4.75 3-4! 5.00 4.50 5.75 5-6! 5.50 5.00 5.75 5-6! 5.50 5.00 5.75 5-6! 5.50 5.00 5.75 5-6! 5.50 5.50 5.60 5.75 5-6! 5.50 5.00 5.00 5.75 5-6!		•	•		s Douglas	si Waukega	n
A-5		4.75	4-25		2 -0 ug x-0		
S-6!							
C-7'							
Chinensis Japonica			9.50	- '	Ehron	,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2-31	·					3.50	3.25
3-4 6.00 5.50 4-5 5.00 4.75							
L-5 7.50 6.75 5-6 6.00 5.50							
Chinensis Japonica Nana 2-2': 7							
2-2! 5.00 4.50 2:-3' 4.00 3.75 2:\ 23' 5.00 4.50 Chinonsis Japonica Procumbens 18-24" 2.75 2.50 Virginiana Burki Burk's Silver 2-2! 3' 4.50 4.25 5-6! 8.00 7.50 1.50 Chinonsis Pfitzeriana 3-h! 6.00 5.50 12-14! 17.50 16.00 1.4.00 1.50 1.5-6! 9.00 8.50 2:-3' 3.75 3.50 6.7! 17.50 16.00 1.4.00 1.5-18"				_	rsoni		, , ,
2\frac{1}{2}			4.50				3.75
Chinensis Japonica Procumbens 18-24" 2.75 2.50 2-24! 3.50 3.25 3.4i 5.00 4.75 2-24! 3.50 4.25 5.6i 8.00 7.50 3-4! 6.00 5.50 7-8! 11.00 10.50 Chinensis Pfitzeriana 3.4! 6.00 5.50 12-14! 17.50 16.00 4.5! 7.00 6.50 Virginiana Canaerti 5.6! 9.00 8.50 20-3: 3.75 3.50 6.7! 10.00 9.50 3.4i 5.00 4.75 Chinensis Pfitzeriana Nana 4.5! 6.00 5.75 Chinensis Pfitzeriana Nana 4.5! 6.00 5.75 15-18" 3.75 3.50 6.7! 7.50 7.00 18.24" 4.75 4.50 7-8! 9.00 8.00 3.4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2.5-3 4.00 3.75 2.25! 5.00 4.75 2.25! 5.00 4.75 Columnaris U.S. Gov't Columnar 2.5-3 4.50 3.4i 5.00 4.75 Columnaris U.S. Gov't Columnar 2.5-3 4.00 3.75 3.4.! 5.00 4.50 2.5-3 5.6i 8.50 3.00 4.51 7.50 7.00 6.70 Virginiana Globosa 2.5-3 5.6i 7.55 7.50 7.00 6.70 Virginiana Globosa 2.5-3 5.6i 7.55 7.50 7.00 6.70 Virginiana Kettleri 6.7! 10.00 9.00 3.75 5.6i 7.55 7.50 7.00 Virginiana Kettleri 6.7! 10.00 9.00 3.4i 5.00 4.75 Herurontalis Plumosa Andorra 18.24" 2.25 2.00 5.6i 8.00 7.50 2.33! 3.00 2.75 7.8i 10.00 9.00 2.33! 3.00 2.75 7.8i 10.00 9.00 3.34: 5.00 4.75 2.25: 6.71 10.00 9.00 3.34: 5.00 4.75 2.25: 6.71 10.00 9.00 3.34: 5.00 6.70 7.50 2.33: 3.00 2.75 7.8i 12.00 10.50							
18-24			• • • • •				
2-2½! 3.50 3.25 3.4! 5.00 4.75 2½-3! 4.50 4.25 5-6! 8.00 7.50 Chinensis Pfitzeriana 3-4! 6.00 5.50 7-8! 11.00 10.50 Chinensis Pfitzeriana 3-4! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 2½-3: 3.75 3.50 6.7! 10.00 9.50 3.4! 5.00 4.75 Chinensis Pfitzeriana Nana 4.5! 6.00 5.75 15-18" 3.75 3.50 6.7! 7.50 7.00 18-24" 4.75 4.50 7-8! 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2.5-3: 4.00 3.75 13-2½! 4.25 3.50 3.4! 5.00 4.75 2.2½! 5.00 4.75 4.55 7.6! 8.50 6.75 2.2½! 5.00 4.75 4.55 7.6! 8.50 6.75 2.2½! 5.00 5.75 5.6! 8.50 6.75 2.2½! 5.00 4.75 4.55 6.00 5.75 3.4½ 6.00 5.75 3.4½ 6.00 5.75 5.6! 8.50 6.00 4.5! 7.50 7.50 7.00 6.7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2½-3! 4.00 3.75 2-2½! 5.00 4.50 2½-3: 6.50 6.00 4.50 7.50 7.50 7.00 Virginiana Kettleri 6.7! 10.00 9.00 3.4! 7.50 7.00 5.6! 7.55 7.00 Virginiana Kettleri 6.7! 10.00 9.00 3.4! 7.50 7.00 5.6! 7.55 7.50 7.00 Virginiana Kettleri 6.7! 10.00 9.00 3.4! 5.00 4.75 4.51 6.00 5.50 3.4! 7.50 7.00 5.61 7.55 7.50 7.00 Virginiana Kettleri 6.7! 10.00 9.00 3.4! 5.00 4.75 4.51 6.00 5.50 3.4! 7.50 7.00 5.61 7.55 7.50 7.00 Virginiana Kettleri 6.7! 10.00 9.00 3.4! 5.00 5.50 18.24" 2.25 2.00 5.6! 8.00 7.50 2.25: 2.50 2.25 6.7! 10.00 9.00 2.33! 3.00 2.75 7.8! 10.00 9.00 2.33! 3.00 2.75 7.8! 10.00 9.00			2,50		Bur ki		•
2:-3'							4:75
3-4 6.00 5.50 7-8 11.00 10.50	23-31						
Chinensis Pfitzeriana 3-h! 6.00 5.50 12-14! 17.50 16.00 4-5! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 24-3: 3.75 3.50 6.7! 10.00 9.50 3.4! 5.00 4.75 Chinensis Pfitzeriana Nana 4.5! 6.00 5.75 15-18" 3.75 3.50 6-7! 7.50 7.00 18-24" 4.75 4.50 7-8! 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 21-3: 4.00 3.75 2.25! 5.00 4.75 4.55 3.50 3-4: 5.00 4.75 2.25! 5.00 4.75 4.55 3.50 3-4: 5.00 4.75 2.25! 5.00 4.75 4.55 3.50 3-4: 5.00 5.75 3-4: 6.00 5.75 5-6: 8.50 3.00 4.5! 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar 2-3: 3: 4.00 3.75 2-25: 5.00 4.50 2-3: 6.50 6.00 4.5: 5.00 4.50 2-3: 5.00 4.50 2-3: 6.50 6.00 4.5: 6: 7.55 7.00 Virginiana Globosa 2-3: 4: 5.00 4.50 2-3: 6.50 6.00 4.5: 6: 7.55 7.00 Virginiana Kettleri 6-7: 10.00 9.00 3-4: 5.00 4.75 Heruzontalis Plumosa Anderra 18-24" 2.25 2.00 5-6: 8.00 7.50 2-25: 2.00 5-6: 8.00 7.50 2-25: 2.00 5-6: 8.00 7.50 2-25: 2.00 5-6: 8.00 7.50 2-25: 2.00 5-6: 8.00 7.50 2-25: 2.00 5-6: 8.00 7.50 2-25: 2.00 5-6: 8.00 7.50 2-25: 2.00 5-6: 7-8: 10.00 9.00 2-3:3: 3.00 2.75 7-8: 10.00 9.00							
3-4! 6.00 5.50 12-14! 17.50 16.00 4-5! 7.00 6.50 Virginiana Canaerti 5-6! 9.00 8.50 23; 3.75 3.50 6-7! 10.00 9.50 3-4! 5.00 4.75 Chinensis Pfitzeriana Nana 4-5! 6.00 5.75 15-18" 3.75 4.50 7-8! 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2.5-3; 4.00 3.75 18-24" 4.25 3.50 3-4: 5.00 4.75 2-25! 5.00 4.75 4.55 56! 8.50 5.00 4-5! 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2-3: 4.00 3.75 2-2-1: 5.00 4.50 2.2-3: 5.00 4.50 3-4: 5.00 4.50 2.2-3: 5.00 4.50 3-4: 5.00 4.50 2.2-3: 5.00 4.50 3-4: 5.00 4.50 2.2-3: 5.00 4.50 3-4: 5.00 4.50 2.2-3: 5.00 4.50 3-4: 5.00 4.50 2.2-3: 5.00 4.75 4-5a: 6.00 5.50 3.4! 7.50 7.00 Figuriana Globosa 2-2-3: 5.00 4.50 2.2-3: 5.00 4.75 4-5a: 6.00 5.50 3.4! 7.50 7.00 Figuriana Kettleri 6-7: 10.00 9.00 3-4: 5.00 4.75 Herizontalis Plumosa Andorra 18-24" 2.25 2.00 5-6! 8.00 5.50 2-2-2-2-2-2-2-1 10.00 9.00 3-4: 5.00 5.50 2-2-2-2-2-2-1 10.00 9.00 3-4: 5.00 5.50 3-5: 5.00 5.50 3-5: 5.00 5.50 3		7					
#=5! 7.00 6.50 Virginiana Canaerti 5-6! 9:00 8:50 2:-3: 3:75 3:50 6.7! 10:00 9:50 3-4! 5:00 4:75 Chinensis Pfitzeriana Nana 4-5! 6:00 5:75 15-18" 3:75 3:50 6-7! 7:50 7:00 18-24" 4:75 4:50 7-8! 9:00 8:00 3-4! 7:00 6:50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2:-3: 4:00 3:75 18-24! 4:25 3:50 3-4: 5:00 4:75 2:28! 5:00 4:75 4-5! 6:00 5:75 3-4: 6:00 5:75 5-6! 8:50 3:00 4-5! 7:50 7:00 6-7(12:00 11:50 Columnaris U.S. Gov't Columnar Virginiana Globosa 24-31 4:00 3:75 2-28: 5:00 4:50 24-3: 6:50 6:00 5:6! 7:50 7:00 Virginiana Kettleri 6-7! 10:00 9:00 3-4! 7:50 7:00 Herizontalis Plumosa Andorra 18-24" 2:25 2:00 5-6! 8:00 7:50 2-28: 2:50 2:25 6-7! 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00 3-4: 10:00 9:00		6.00	5.50	12-14!			
5-6! 9:00 8:50 2:33 3:75 3:50 6-7! 10.00 9.50 3-4! 5.00 4:75 Chinensis Pfitzeriana Nana 4-5! 6:00 5:75 15-18" 3:75 3:50 6-7! 7:50 7:00 18-24" 4:75 4:50 7-8! 9.00 8:00 3-4! 7:00 6:50 Virginiana Glauca Chinensis Pfitzeriana Aurea 2:33 4:00 3:75 16-24" 4:25 3:50 3-4! 5:00 4:75 2:28! 5:00 4:75 4-5! 6:00 5:75 3-4! 6:00 5:75 5-6! 8:50 3:00 4-5! 7.50 7:00 6-7(12:00 11:50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2-3: 4:00 3:75 2-4: 5:00 4:50 2-2:1 5:00 4:50 3-4: 5:00 4:50 2-2:1 5:00 4:50 3-4: 5:00 4:50 2-2:1 5:00 4:50 3-4: 5:00 4:50 2-2:1 5:00 4:50 1-5:0! 7:50 7:00 Virginiana Kettleri 6-7! 10.00 9:00 3-4! 7:50 7:00 18:24" 2:25 2:00 5-6! 8:00 7:50 18:24" 2:25 2:00 5-6! 8:00 7:50 18:24" 2:25 2:00 5-6! 8:00 7:50 2-2:3! 3:00 2:75 7-8! 12:00 10:50 3-4: 10:00 9:00	-			Virginiana	Canaerti		
6-7! 10.00 9.50 3-4! 5.00 4.75 Chinensis Pfitzeriana Nana 4.5! 6.00 5.75 15-18" 3.75 3.50 6-7! 7.50 7.00 18-24" 4.75 4.50 7-8! 9.00 8.00 3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 25-3! 4.00 3.75 2.25! 5.00 4.75 4.5! 5.00 4.75 3-4! 6.00 5.75 5-6! 8.50 0.00 4.5! 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2+3! 4.00 3.75 2-25! 5.00 4.50 2-3! 6.50 6.00 4-5a! 5.00 4.50 2-3! 6.50 6.00 5.6! 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Hermontalis Plumosa Andorra 18-24" 2.25 2.00 5-6! 8.00 7.50 18-24" 2.25 2.00 5-6! 8.00 7.50 2-25! 2.50 2.25 6-7! 10.00 9.00 2-2-3! 3.00 2.75 7-8! 12.00 10.50						3.75	3:50
Chinensis Pfitzeriana Nana 15-18" 3:75 3:50 6-7! 7:50 7:00 18-24" 4:75 4:75 7:00 6:50 7-8! 9:00 8:00 3-4! 7:00 6:50 Virginiana Glauca Chinensis Pfitzeriana Aurea 21-3! 4:00 3:75 2:28! 5:00 4:75 3-4! 6:00 5:75 5:60 4:51 7:50 7:50 7:50 7:50 7:50 7:50 7:50 7:50							
15-18" 3:75 3:50 6-7! 7:50 7:00 18-24" 4:75 4:50 7-8! 9:00 8:00 3-4! 7:00 6:50 Virginiona Glauca Chinensis Pfitzeriana Aurea 2:-3! 4:00 3:75 18-24!" 4:25 3:50 3-4: 5:00 4:75 2:26! 5:00 4:75 4:-5! 6:00 5:75 3:4: 6:00 5:75 5:-6! 8:50 8:00 4:5! 7:50 7:00 6-7(12:00 11:50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2:-3! 4:00 3:75 2-22: 5:00 4:50 3:-4! 5:00 4:50 2:-3: 6:50 6:00 4:-5a! 6:00 5:50 3:-4! 7:50 7:00 5:-6! 7:50 7:00 Virginiana Kettleri 6-7! 10:00 9:00 3:-4! 5:00 4:75 Herizontalis Plumosa Andorra 18:24!" 2:25 2:00 5-6! 8:00 7:50 2:-22: 3: 3:00 2:75 7-8! 12:00 10:50 3:-4: 4:00 3:50 2:25 6-7! 10:00 9:00 2:-3! 3:00 2:75 7-8! 12:00 10:50				4-51			
18.24"			3.50	671		7:50	
3-4! 7.00 6.50 Virginiana Glauca Chinensis Pfitzeriana Aurea 25-31 4:00 3.75 16-2h" 4:25 3.50 3-4: 5:00 4:75 2-2b! 5:00 4:75 4-5! 6:00 5:75 3-4: 6:00 5:75 5-6! 8:50 3:00 4-5! 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 5:00 4:50 2-3! 4.00 3.75 2-2b! 5:00 4:50 3-4! 5:00 4:50 2-3: 6:50 6:00 4-5a! 6:00 5:50 3-4! 7:50 7:00 5-6! 7:50 7:00 Virginiana Kettleri 5:00 4:75 Heruzontalis Plumosa Andorra 4-5! 5:00 4:75 18:24" 2:25 2:00 5-6! 8:00 7:50 2-22! 2:50 2:25 6-7! 10:00 9:00 2-3:3! 3:00 2:75 7-8! 12:00				7 - 81		9.00	8.00
Chinensis Pfitzeriana Aurea 16-24" 4.25 3.50 3-41 5.00 4.75 3-41 6.00 5.75 3-41 6.00 5.75 3-41 6.00 5.75 6.00 6-7(12,00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 24-31 4.00 3.75 2-2½ 5.00 4.50 3-4! 5.00 4.50 3-4! 5.00 4.50 5.61 7.50 7.50 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Hermontalis Plumosa 18.24" 2.25 2.00 3-6! 3.00 2.50 2.50 2.50 2.50 2.50 2.50 2.50 2				Virginiana	Glauca		•
16-24" 4.25 3.50 3-4 5.00 4.75 2.25" 5.00 4.75 4-5 6.00 5.75 3.4 6.00 5.75 5-6 8.50 3.00 4.51 7.50 7.00 6-7 12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 2-3! 4.00 3.75 2-25 5.00 4.50 3-4 7.50 7.00 4-5a' 5.00 4.50 3-4 7.50 7.00 5-6! 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4 5.00 4.75 Herizontalis Plumosa Andorra 18.24" 2.25 2.00 5-6! 8.00 7.50 2-25 2.50 2.25 6-7! 10.00 9.00 2-3! 3.00 2.75 7-8! 12.00 10.50 3-4: 0.00 9.00	Chinensis Pfitzeriana A	lurea	•	2 1-3 1		4:00	
2.25	1821,"	4:25	3.50	34:		5,00	
4-51 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 6.50 6.50 6.50 6.00 6.50 6.50 6.50 6.00 6.50 6.50 6.00 7.50 7.50 7.00 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 4.75 6.00 5.50 4.75 6.00 5.50 4.75 6.00 5.50 5.50 6.00 5.50 5.50 6.00 5.50 5.50 6.00 5.50 6.00 5.50 6.00 5.50 6.00 5.50 6.00 7.50 <td< td=""><td>2.23</td><td>5.00</td><td>4.75</td><td></td><td></td><td>6,00</td><td></td></td<>	2.23	5.00	4.75			6,0 0	
4-51 7.50 7.00 6-7(12.00 11.50 Columnaris U.S. Gov't Columnar Virginiana Globosa 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 5.00 4.50 6.50 6.50 6.50 6.00 6.50 6.50 6.50 6.00 6.50 6.50 6.00 7.50 7.50 7.00 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 7.50 4.75 6.00 5.50 4.75 6.00 5.50 4.75 6.00 5.50 5.50 6.00 5.50 5.50 6.00 5.50 5.50 6.00 5.50 6.00 5.50 6.00 5.50 6.00 5.50 6.00 7.50 <td< td=""><td>3.4.</td><td>6:00</td><td>5:75</td><td></td><td></td><td></td><td></td></td<>	3.4.	6:00	5:75				
2-3' 4.00 3.75 2-2½' 5.00 4.50 4.50 4.50 4.50 4.50 4.50 4.50		7.50	7.00			12,00	11.50
3-4! 5:00 4:50 2:-3: 6.50 6:00 4-5a! 6:00 5:50 3-4! 7.50 7.00 5:6! 7.50 7:00 Virginiona Kettleri 6-7! 10.00 9:00 3-4! 5:00 4:75 Herazontalis Plumosa Andorra 4-5! 6:00 5:50 2-22: 2:00 2:25 6-7! 10:00 9:00 2-23: 3: 3:00 2:75 7-8! 12:00 10:50 3:4:00 3:50	Columnaris U.S. Gov't	Columna	r ·		lobosa		*
4-5a 6.00 5.50 3-4 7.50 7.00 5.61 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Herazontalis Plumosa Andorra 4-5! 6.00 5.50 18.24" 2.25 2.00 5-6! 8.00 7.50 2-25 2.50 2.25 6-7! 10.00 9.00 2\delta 3! 3.00 2.75 7-8! 12.00 10.50 3\delta 2.00 3.50		4,00	3 . 75				
5.61 7.50 7.00 Virginiana Kettleri 6-7! 10.00 9.00 3-4! 5.00 4.75 Herazontalis Plumosa Andorra 4-5! 6.00 5.50 18.24" 2.25 2.00 5-6! 8.00 7.50 2-25 2.50 2.25 6-7! 10.00 9.00 2\darkar{a}{3}! 3.00 2.75 7-8! 12.00 10.50 3\darkar{a}{3}! 4.00 3.50		5.00	4:50				
6-7: 10.00 9.00 3-4: 5.00 4.75 Herizontalis Plumosa Andorra 4-5: 6.00 5.50 18.24" 2.25 2.00 5-6: 8.00 7.50 2.25 2.50 2.25 6-7: 10.00 9.00 2.31 3: 3.00 2.75 7-8: 12.00 10.50 3.42 4.00 3.50	4-5a	6100	5:50			7.50	7,00
Hernzontalis Plumosa Andorra 4-5! 6.00 5.50 18.24" 2.25 2.00 5-6! 8.00 7.50 2.25 2.50 2.25 6-7! 10.00 9.00 2.31 3.00 2.75 7-8! 12.00 10.50 3.42 4.00 3.50	561	7,50			ettleri		
18. 24" 2.25 2.00 5-6! 8.00 7.50 2-2-1 2.50 2.25 6-7! 10.00 9.00 2-3-3! 3.00 2.75 7-8! 12.00 10.50 3.4: 4.00 3.50							
2.25 2.50 2.25 6-7! 10.00 9.00 2.3! 3.00 2.75 7-8! 12.00 10.50 3.4: 4.00 3.50							5,50
2 \ \bar{3}\) 3 \ 00 \ 2 \bar{75} \ 7-8\\ \bar{12.00} \ 10.50 \\ 3 \array{1} \array{2} \\ 3 \arr	18. 24"						
2 \$ 3 \ 3 \ 00 \ 2 \ 7 - 8 \ 12 \ 00 \ 10 \ 50 \ 3 \ 4 \ 00 \ 3 \ 50 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2-22					-	
3.4.° 4.00 3.50	2 5.3 1			7-81		12,00	10,50
4-5 ¹ . 5,00 4,50	3-4:				į		
	4-51	5:00	4.50				



Page -4-

		0-	•		
FINISHED GRADES Contid	_	75		E	X
	E	X	TOTE A	4.0	
JUNIPERUS		1	PICEA	,	
Virginiana Kosteri			Pungense Kosterian	15.00	14:00
2-22!	3.50	3.25	5-61	20:00	17.50
212-31	4:50	4:25	6-71		22:50
3-4	6.00	5:50	7-81	25:00	
	7.50	7.00	310°	30.00	27.50
4-51		Dundee	PINUS		
Virginiana Pyramidfolio		3-75	Montana Mughus	•	
2 - 31	4.00		12-15"	2.00	1.75
3-41	5.00	4.75	15-18"	2,25	2,00
4-51	6,00	5,50	1824"	2.75	2.50
5-61	8,00	7:50	10-24	3.50	3.25
7-81	10.00	9:00	2-221	J• // -	
Virginiana Smithii	•		THUJA		
4-5	6.75	6:50	Occidentalis	2 00	1.75
	8.00	7,50	2-22	2,00	
5-61	0,00	, , ,	2} -3 1	2.50	2.25
PICEA			3-41	3.00	2.75
Canadens is	1:00	3.75	4-51	4.00	3.75
3-4!	4,00		7-8°	7:50	7.25
4-5	5,00	4.75	8-10'	10.00	9.50
5-61	6.50	6.25	Occidentalis Pyra		
Canadensis Conica Albe	rt in a		Occupendation Arm	3:00	2:75
Dwarf Alberta S	pruce '	•	2-2½; 2½-3;	3.25	3.00
15-18"	4:00	3.75	28 −3 °		3.75
	5.00	4.75	3-41	4.00	4.50
18-24"	6.00	5:50	4-51	4.75	
2-2-2-1	8:00	7:50	56!	5.75	550
23-31		9,00	6-71	7.50	7.00
3-4	10.00	10.50	Occidentalis Rose	nthali	
4-5	12.00	10,00	4-51	4.75	4.50
Excelsa		1 05	5-6'	5.75	5.50
2½-3¹	4.50	4.25	Occidentalis Warr		•
3-41	6:00	5.75		1.75	1,50
4-51	7.50	7:25	13-24"	2.50	2,25
5-61	9.00	8.75	$2 \cdot 2\frac{1}{2}$	3.25	3.00
6-7	10.50	10:00	2)-3:	4:50	4.25
	12:00	11;:0	341.		5.50
7-81	15.00	14:50	4-51	6,00	2:00
8-10'	18,00	17.50	Occidentalis Vood	dwardi	1.00
10-12	10,00	-10/-	12-15"	2.00	1.75
Excelsa Globosa	1 50	4.25	15-19"	2150	2, 25
2.22	4.50	5:50	18-24"	3,00	2,75
21-3:	6.00		2-27	3.50	3 25
3-1.1	7.50	7,00	Occidentalis Eleg		
Escelsa Pyramidalis	•		11	2;50	2,25
18-24"	2.25	2,00		3,00	2.75
2 2	3.00	2.75	18-2/1	4:00	3.75
21 21	3.50	3,25	2-23!	7.00	4.75
215-21 3-40	4.00	3.75	2 <u>}</u> -3*	5.00	4+ R ()
3.44.	4.50	4.25			
4. 5	4.,,0	40,00	TSUGA	,	
Excelsa Spreading	1:50	1. 105			
2 · 3 ·	4:50	4:25		5:50	5.25
3-2-3-1	6:00	5.75		8,00	7,50
2 - 3 · 3 · 3 · 4 · 4 · 5 · 6 · 6 · 6 · 6 · 6 · 6 · 6 · 6 · 6	7:50	7:00		10,00	9:50
71.3	10.00	9.00	561	12:00	11.50
S4 1 7			6-7!	17.50	16,50
			7-81		22.50
			8-10&	24,00	22.50





Landscaping which Lasts"

Page -5-

pedTDUOUS SHRUBS in finished sizes hard to find. Except as noted, all plants are priced bare root. We will quote special rates for furnishing B&B. Prices listed are each in lots up to 5 E, in lots 5 to 10 X. For larger quantities, write for special quotation.

				E	X
	E	X	PHYSOCARFUS	Ľ	Δ,
AMELANCHIER	•		Opvilifolius Nana		
Laevis	12 50	12,50	3-4'	•55	.50
12-14 B&B ARONIA	13,50	12,500	PRUNUS	677	
Krilliantissima			Be: ceyî	•	•
3.45	.80	.75	16-5	1.00	.90
FERTERIS.	1		RIBEC		
Koreanna			Aureum		
3.41	1.00	•95	1,5*	.50	•45
Puraflora Erecta		-	SAMBUCIS		•
2-3	, 60	155	Garadensis Acutifolia	.60	•55
DEUTZIĆ		k.	SPIFEL	•00	•//
Palde of Rochester	1.00	195	Argata	•	•
5-61 6-71	1,20	1.10	L-5°	.65	.60
ELEACNUS	1920	1.0	Menzili Macrothysa		•
Argentea 7-81	1.75	1:60	1,5	•50	•45
FORSYTHIA			Thunborgi.i	•	•
Spectabilis		•	23	·40	•35
5-6.	, 85	\$80	Trachocarpa	50	, -
HYPER COUM			16-5:	•50	•45
AU FOUM		* + + +	SYMPHOLICARPOS Recombrus	•	
2-3!	.50 .60	\$45 \$55	readements	:50	:45
3-4: LIGUSTPUM	•00	633	4.5	,60	.55
Pegelianum	•	•	Vulgaris	•	•
3-4.	,50	•45	3-14:	.50	:45
LONICELA			453	.60	. ()
Morrowii	•	•	SYRINGA	•	
-5°	:65	:60	Vulgaris Alba		• 40
562	.75	.65	5.61	.90	:30
Washingtoni		1=	67!	1.00	- 90
5-6	•75	.65			
PHYSOC/RPCS		•			
Optifolius	.80	.75			
6-71	• 00	* ()			





FINE EVERGREENS,



Co., Inc.

Landscaping which Lasts"